


Klínové řemeny


Profil 5



PROFIL 5			
Označení řemene	Vnitřní délka L_i (mm)	Výpočt. délka L_w (mm)	Vnější délka L_a (mm)
5x190	190	200	208
5x229	229	239	247
5x260	260	270	278
5x280	280	290	298
5x300	300	310	318
5x315	315	325	333
5x322	322	332	340
5x335	335	345	353
5x375	375	385	393
5x425	425	435	443
5x475	475	485	493
5x500	500	510	518
5x530	530	540	548
5x554	554	564	572
5x600	600	610	618

Klínové řemeny


Profil 6



PROFIL 6			
Označení řemene	Vnitřní délka L_i (mm)	Výpočt. délka L_w (mm)	Vnější délka L_a (mm)
6x280	280	295	305
6x300	300	315	325
6x335	335	350	360
6x400	400	415	425
6x425	425	440	450
6x450	450	465	475
6x500	500	515	525
6x540	540	555	565
6x600	600	615	625
6x850	850	865	875

Klínové řemeny


Profil 8



PROFIL 8			
Označení řemene	Vnitřní délka Li(mm)	Výpočt. délka Lw(mm)	Vnější délka La(mm)
8x315	315	335	347
8x355	355	375	387
8x400	400	420	432
8x425	425	445	457
8x450	450	470	482
8x475	475	495	507
8x490	490	510	522
8x530	530	550	562
8x560	560	580	592
8x575	575	595	607
8x600	600	620	632
8x630	630	650	662
8x670	670	690	702
8x700	700	720	732
8x710	710	730	742
8x750	750	770	782
8x775	775	795	807
8x800	800	820	832
8x825	825	845	857
8x850	850	870	882
8x875	875	895	907
8x900	900	920	932
8x950	950	970	982
8x1000	1000	1020	1032
8x1020	1020	1040	1052
8x1050	1050	1070	1082
8x1075	1075	1095	1107
8x1120	1120	1140	1152
8x1200	1200	1220	1232
8x1250	1250	1270	1282

Klínové řemeny


Profil 10/Z



PROFIL 10/Z							
Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)	Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)
16.75	425	448	463	40	1016	1039	1054
17.75	450	473	488	40.5	1030	1053	1068
18.75	475	498	513	41	1041	1064	1079
19	483	506	521	42	1060	1083	1098
19.75	500	523	538	42.5	1080	1103	1118
20	508	531	546	43.5	1105	1128	1143
20.5	520	543	558	44	1120	1143	1158
21	530	553	568	45	1150	1173	1188
22	560	583	598	46	1170	1193	1208
22.5	575	598	613	46.5	1180	1203	1218
23	584	607	622	47	1194	1217	1232
23.5	600	623	638	48	1215	1238	1253
24	610	633	648	48.5	1230	1253	1268
25	630	653	668	49	1250	1273	1288
25.5	650	673	688	50	1270	1293	1308
26.5	670	693	708	51	1295	1318	1333
27	686	709	724	52	1320	1343	1358
27.5	700	723	738	53	1346	1369	1384
28	710	733	748	54	1371	1394	1409
28.5	725	748	763	55	1400	1423	1438
28.75	730	753	768	57	1450	1473	1488
29.5	750	773	788	58	1475	1498	1513
30	765	788	803	59	1500	1523	1538
30.5	775	798	813	61	1550	1573	1588
31.5	810	833	848	62	1575	1598	1613
32	813	836	851	63	1600	1623	1638
32.25	820	843	858	66	1680	1703	1718
32.5	825	848	863	67	1700	1723	1738
33.5	850	873	888	69	1750	1773	1788
34	865	888	903	71	1800	1823	1838
34.5	875	898	913	75	1900	1923	1938
35	889	912	927	78	1975	1998	2013
33.5	900	923	938	79	2000	2023	2038
36	914	937	952	82	2080	2103	2118
36.4	925	948	963	83.5	2120	2143	2158
37.5	953	976	991	93	2360	2383	2398
39	990	1013	1028				
39.5	1000	1023	1038				

Klínové řemeny


Profil 10/ZX



PROFIL 10 / ZX							
Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)	Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)
18	457	480	495	32	842	865	880
19	483	506	521	33	838	861	876
19.5	495	518	533	33.5	872	895	910
20	508	531	546	35	897	920	935
21	533	556	571	36	922	945	960
23	584	607	622	37	940	963	978
24.1	610	633	648	38	965	988	1003
25	652	675	690	39	991	1014	1029
26	660	683	698	40	1016	1039	1054
27	686	709	724	42	1067	1090	1105
28	732	755	770	43	1092	1115	1130
28.5	724	747	762	44	1118	1141	1156
29	752	775	790	45	1143	1166	1181
29.5	772	795	810	61	1549	1572	1587
30	762	785	800	64	1626	1649	1664
31.5	822	845	860	82	2083	2106	2121

Klínové řemeny


Profil 13/A



PROFIL 13/A							
Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)	Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)
18	457	487	507	42.3	1075	1105	1125
19	483	513	533	43	1090	1120	1140
20	508	538	558	43.5	1105	1135	1155
21	535	565	585	44	1120	1150	1170
22	560	590	610	45	1143	1173	1193
23	580	610	630	46	1168	1198	1218
24	600	630	650	46.5	1180	1210	1230
25	630	660	680	47	1200	1230	1250
26	655	685	705	48	1220	1250	1270
26.5	670	700	720	48.5	1240	1270	1290
27	690	720	740	49	1250	1280	1300
28	710	740	760	50	1270	1300	1320
29	730	760	780	51	1300	1330	1350
29.5	750	780	800	52	1320	1350	1370
30	767	797	817	53	1346	1376	1396
30.5	780	810	830	54	1372	1402	1422
31	787	817	837	55	1400	1430	1450
31.5	800	830	850	56	1422	1452	1472
32	813	843	863	57	1448	1478	1498
32.5	825	855	875	58	1475	1505	1525
33	838	868	888	59	1500	1530	1550
33.5	850	880	900	60	1525	1555	1575
34	855	885	905	61	1550	1580	1600
34.5	875	905	925	62	1575	1605	1625
35	889	919	939	63	1600	1630	1650
35.5	900	930	950	64	1625	1655	1675
36	914	944	964	65	1651	1681	1701
36.5	925	955	975	66	1676	1706	1726
37	939	969	989	67	1700	1730	1750
37.5	950	980	1000	68	1725	1755	1775
38	965	995	1015	69	1750	1780	1800
38.5	975	1005	1025	70	1780	1810	1830
39	991	1021	1041	71	1800	1830	1850
39.5	1000	1030	1050	72	1825	1855	1875
40	1016	1046	1066	73	1854	1884	1904
40.5	1030	1060	1080	74	1880	1910	1930
41	1041	1071	1091	75	1900	1930	1950
42	1060	1090	1110	76	1930	1960	1980

Klínové řemeny


Profil 13/A



PROFIL 13/A							
Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)	Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)
77	1956	1986	2006	98	2500	2530	2550
78	1980	2010	2030	100	2540	2570	2590
79	2000	2030	2050	102	2591	2621	2641
79.5	2010	2040	2060	103	2616	2646	2666
80	2030	2060	2080	104	2650	2680	2700
80.5	2040	2070	2090	105	2667	2697	2717
81	2057	2087	2107	107	2730	2760	2780
82	2083	2113	2133	108	2743	2773	2793
83	2100	2130	2150	110	2800	2830	2850
83.5	2120	2150	2170	112	2840	2870	2890
84	2134	2164	2184	116	2946	2976	2996
85	2150	2180	2200	118	3000	3030	3050
86	2184	2214	2234	120	3050	3080	3100
87	2200	2230	2250	124	3150	3180	3200
88	2240	2270	2290	128	3250	3280	3300
89	2261	2291	2311	132	3350	3380	3400
90	2285	2315	2335	134	3404	3434	3454
91	2311	2341	2361	136	3454	3484	3504
92	2337	2367	2387	140	3550	3580	3600
93	2360	2390	2410	144	3650	3680	3700
94	2388	2418	2438	145	3683	3713	3733
95	2413	2443	2463	158	4000	4030	4050
96	2435	2465	2485	180	4572	4602	4622
97.5	2475	2505	2525	197	5000	5030	5050

Klínové řemeny


Profil 13/AX



PROFIL 13/AX							
Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)	Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)
19	483	513	533	42	1067	1097	1117
20	508	538	558	42.5	1080	1110	1130
21	533	563	583	43	1092	1122	1142
22	559	589	609	44	1118	1148	1168
22.5	572	602	622	44.5	1130	1160	1180
23	584	614	634	45	1143	1173	1193
23.5	600	630	650	45.5	1150	1180	1200
24	610	640	660	46	1168	1198	1218
25	635	665	685	47	1194	1224	1244
25.5	648	678	698	48	1219	1249	1269
26	660	690	710	49	1245	1275	1295
26.5	673	703	723	49.5	1257	1287	1307
27	686	716	736	50	1270	1300	1320
28	711	741	761	51	1295	1325	1345
28.5	724	754	774	52	1321	1351	1371
29	737	767	787	53	1346	1376	1396
29.5	749	779	799	53.5	1359	1389	1409
30	762	792	812	54	1372	1402	1422
30.5	775	805	825	55	1397	1427	1447
31	787	817	837	56	1422	1452	1472
31.5	800	830	850	57	1448	1478	1498
32	813	843	863	58	1473	1503	1523
32.5	826	856	876	59	1499	1529	1549
33	838	868	888	60	1524	1554	1574
33.5	851	881	901	61	1549	1579	1599
34	864	894	914	62	1575	1605	1625
35	889	919	939	63	1600	1630	1650
35.5	902	932	952	64	1626	1656	1676
36	914	944	964	65	1651	1681	1701
36.5	927	957	977	66	1676	1706	1726
37	940	970	990	67	1702	1732	1752
37.5	953	983	1003	68	1727	1757	1777
38	965	995	1015	69	1753	1783	1803
38.5	978	1008	1028	70	1778	1808	1828
39	991	1021	1041	71	1803	1833	1853
39.5	1003	1033	1053	72	1829	1859	1879
40	1016	1046	1066	73	1854	1884	1904
40.5	1029	1059	1079	74	1880	1910	1930
41	1041	1071	1091	75	1905	1935	1955
41.5	1050	1080	1100	76	1930	1960	1980

Klínové řemeny


Profil 13/AX



PROFIL 13 / AX							
Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)	Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)
77	1956	1986	2006	88	2235	2265	2285
78	1981	2011	2031	88.5	2248	2278	2298
79	2007	2037	2057	89	2261	2291	2311
80	2032	2062	2082	90	2286	2316	2336
81	2057	2087	2107	91	2311	2341	2361
82	2083	2113	2133	93	2360	2390	2410
83	2108	2138	2158	95	2413	2443	2463
84	2134	2164	2184				

Klínové řemeny


Profil 17/B



PROFIL 17/B							
Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)	Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)
24	615	660	684	45	1150	1195	1219
25	635	680	704	46	1175	1220	1244
25.5	650	695	719	46.5	1180	1225	1249
26.5	670	715	739	47	1200	1245	1269
27	686	731	755	48	1215	1260	1284
28	710	755	779	48.5	1225	1270	1294
28.5	725	770	794	49	1250	1295	1319
29	737	782	806	50	1270	1315	1339
29.5	750	795	819	51	1300	1345	1369
30	762	807	831	52	1320	1365	1389
30.5	775	820	844	52.5	1335	1380	1404
31	788	833	857	53	1350	1395	1419
31.5	800	845	869	53.5	1360	1405	1429
32	813	858	882	54	1372	1417	1441
32.5	826	871	895	55	1400	1445	1469
33	838	883	907	56	1422	1467	1491
33.5	850	895	919	57	1450	1495	1519
34	864	909	933	58	1470	1515	1539
34.5	875	920	944	59	1500	1545	1569
35	889	934	958	60	1525	1570	1594
35.5	900	945	969	61	1550	1595	1619
36	915	960	984	62	1575	1620	1644
36.5	925	970	994	63	1600	1645	1669
37	940	985	1009	64	1625	1670	1694
37.5	950	995	1019	65	1650	1695	1719
38	965	1010	1034	66	1676	1721	1745
38.5	975	1020	1044	67	1700	1745	1769
39	991	1036	1060	68	1725	1770	1794
39.5	1000	1045	1069	69	1750	1795	1819
40	1017	1062	1086	69.5	1761	1806	1830
40.5	1030	1075	1099	70	1775	1820	1844
41	1040	1085	1109	71	1800	1845	1869
41.3	1050	1095	1119	72	1829	1874	1898
42	1060	1105	1129	73	1850	1895	1919
42.5	1075	1120	1144	74	1880	1925	1949
43	1090	1135	1159	75	1900	1945	1969
43.5	1100	1145	1169	76	1930	1975	1999
44	1120	1165	1189	77	1950	1995	2019

Klínové řemeny


Profil 17/B



PROFIL 17/B							
Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)	Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)
78	1981	2026	2050	115	2921	2966	2990
79	2000	2045	2069	116	2950	2995	3019
80	2030	2075	2099	118	3000	3045	3069
81	2060	2105	2129	120	3050	3095	3119
82	2083	2128	2152	122	3100	3145	3169
83	2108	2153	2177	124	3150	3195	3219
83.5	2120	2165	2189	125	3175	3220	3244
84	2134	2179	2203	126	3200	3245	3269
85	2160	2205	2229	128	3250	3295	3319
86	2184	2229	2253	130	3302	3347	3371
86.5	2200	2245	2269	132	3350	3395	3419
87	2210	2255	2279	133	3378	3423	3447
88	2240	2285	2309	134	3404	3449	3473
89	2261	2306	2330	136	3450	3495	3519
90	2286	2331	2355	138	3505	3550	3574
91	2300	2345	2369	140	3550	3595	3619
92	2337	2382	2406	142	3600	3645	3669
93	2360	2405	2429	144	3658	3703	3727
94	2388	2433	2457	146	3700	3745	3769
94.5	2400	2445	2469	148	3750	3795	3819
95	2413	2458	2482	150	3810	3855	3879
96	2438	2483	2507	151.5	3850	3895	3919
96.5	2450	2495	2519	152	3861	3906	3930
97	2465	2510	2534	154	3912	3957	3981
98	2500	2545	2569	156	3950	3995	4019
99	2515	2560	2584	158	4000	4045	4069
100	2540	2585	2609	162	4115	4160	4184
101	2565	2610	2634	165	4200	4245	4269
102	2600	2645	2669	167	4250	4295	4319
103	2616	2661	2685	173	4394	4439	4463
104	2650	2695	2719	175	4450	4495	4519
105	2667	2712	2736	177	4500	4545	4569
106	2700	2745	2769	180	4572	4617	4641
107	2718	2763	2787	185	4699	4744	4768
108	2750	2795	2819	187	4750	4795	4819
110	2800	2845	2869	190	4826	4871	4895
112	2840	2885	2909	192	4877	4922	4946
114	2900	2945	2969	195	4953	4998	5022

Klínové řemeny


Profil 17/B



PROFIL 17/B							
Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)	Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)
197	5000	5045	5069	236	5994	6039	6063
200	5100	5145	5169	248	6300	6345	6369
204	5182	5227	5251	270	6861	6906	6930
209	5300	5345	5369	276	7000	7045	7069
210	5334	5379	5403	315	8000	8045	8069
215	5463	5508	5532	345	8763	8808	8832
220	5600	5645	5669	360	9144	9189	9213

Klínové řemeny


Profil 17/BX



PROFIL 17/BX							
Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)	Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)
23	570	610	639	56	1422	1467	1491
25	630	670	699	57	1448	1493	1517
26	650	690	719	58	1473	1518	1542
27	686	731	755	59	1499	1544	1568
28	711	756	780	60	1524	1569	1593
29	737	782	806	61	1549	1594	1618
30	762	807	831	62	1575	1620	1644
31	787	832	856	63	1600	1645	1669
32	813	858	882	64	1626	1671	1695
33	838	883	907	65	1651	1696	1720
34	864	909	933	66	1676	1721	1745
35	889	934	958	67	1702	1747	1771
36	914	959	983	68	1727	1772	1796
37	940	985	1009	69	1753	1798	1822
37.5	953	998	1022	70	1778	1823	1847
38	965	1010	1034	71	1803	1848	1872
38.5	978	1023	1047	72	1829	1874	1898
39	991	1036	1060	73	1854	1899	1923
39.5	1003	1048	1072	74	1880	1925	1949
40	1016	1061	1085	75	1905	1950	1974
40.5	1029	1074	1098	76	1930	1975	1999
41	1041	1086	1110	77	1956	2001	2025
41.5	1054	1099	1123	78	1981	2026	2050
42	1067	1112	1136	79	2007	2052	2076
42.5	1080	1125	1149	80	2032	2077	2101
43	1092	1137	1161	81	2057	2102	2126
44	1118	1163	1187	82	2083	2128	2152
45	1143	1188	1212	83	2108	2153	2177
45.5	1163	1203	1232	84	2134	2179	2203
46	1168	1213	1237	85	2159	2204	2228
46.5	1180	1220	1249	86	2184	2229	2253
47	1194	1239	1263	87	2210	2255	2279
48	1219	1264	1288	88	2235	2280	2304
49	1245	1290	1314	89	2261	2306	2330
50	1270	1315	1339	90	2286	2331	2355
51	1295	1340	1364	91	2311	2356	2380
52	1321	1366	1390	92	2337	2382	2406
53	1346	1391	1415	93	2362	2407	2431
54	1372	1417	1441	94	2388	2433	2457
55	1397	1442	1466	95	2413	2458	2482

Klínové řemeny


Profil 17/BX



PROFIL 17/BX							
Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)	Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)
96	2438	2478	2507	104	2642	2687	2711
97	2464	2504	2533	105	2667	2712	2736
98	2489	2529	2558	110	2794	2839	2863
100	2540	2585	2609	112	2845	2890	2914

Klínové řemeny


Profil 20



PROFIL 20			
Označení řemenu	Vnitřní délka Li(mm)	Výpočtová Lw(mm)	Vnější délka La(mm)
950	900	950	980
1050	1000	1050	1080
1170	1120	1170	1200
1230	1180	1230	1260
1300	1250	1300	1330
1370	1320	1370	1400
1450	1400	1450	1480
1550	1500	1550	1580
1650	1600	1650	1680
1750	1700	1750	1780
1850	1800	1850	1880
1950	1900	1950	1980
2050	2000	2050	2080
2170	2120	2170	2200
2290	2240	2290	2320
2410	2360	2410	2440
2550	2500	2550	2580
2700	2650	2700	2730
2850	2800	2850	2880
3050	3000	3050	3080
3200	3150	3200	3230
3400	3350	3400	3430
3600	3550	3600	3630
3800	3750	3800	3830
4050	4000	4050	4080
4550	4500	4550	4580
5050	5000	5050	5080
6050	6000	6050	6080

Klínové řemeny


Profil 22/C



PROFIL 22/C							
Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)	Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)
43	1090	1149	1178	83.5	2120	2179	2208
46.5	1180	1239	1268	84	2135	2194	2223
47	1200	1259	1288	85	2159	2218	2247
48	1220	1279	1308	86	2184	2243	2272
49	1250	1309	1338	87	2210	2269	2298
51	1295	1354	1383	88	2240	2299	2328
52	1320	1379	1408	89	2261	2320	2349
53	1350	1409	1438	90	2286	2345	2374
54	1375	1434	1463	91	2311	2370	2399
55	1400	1459	1488	92	2337	2396	2425
56	1425	1484	1513	93	2360	2419	2448
57	1450	1509	1538	94	2388	2447	2476
58	1475	1534	1563	95	2413	2472	2501
59	1500	1559	1588	96	2438	2497	2526
60	1524	1583	1612	96.5	2450	2509	2538
61	1550	1609	1638	97	2464	2523	2552
62	1575	1634	1663	98	2500	2559	2588
63	1600	1659	1688	99	2525	2584	2613
65	1650	1709	1738	100	2540	2599	2628
66	1676	1735	1764	101	2560	2619	2648
67	1700	1759	1788	102	2591	2650	2679
68	1727	1786	1815	103	2616	2675	2704
69	1750	1809	1838	104	2642	2701	2730
70	1778	1837	1866	105	2670	2729	2758
71	1800	1859	1888	106	2685	2744	2773
72	1829	1888	1917	107	2718	2777	2806
73	1854	1913	1942	108	2750	2809	2838
74	1880	1939	1968	109	2769	2828	2857
75	1900	1959	1988	110	2800	2859	2888
76	1930	1989	2018	111	2819	2878	2907
76.5	1950	2009	2038	112	2845	2904	2933
77	1956	2015	2044	114	2900	2959	2988
78	1981	2040	2069	115	2921	2980	3009
79	2000	2059	2088	116	2950	3009	3038
80	2032	2091	2120	117	2965	3024	3053
81	2057	2116	2145	118	3000	3059	3088
82	2083	2142	2171	120	3050	3109	3138
83	2108	2167	2196	122	3099	3158	3187

Klínové řemeny


Profil 22/C



PROFIL 22/C							
Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)	Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)
124	3150	3209	3238	181	4600	4659	4688
125	3175	3234	3263	183	4648	4707	4736
126	3200	3259	3288	187	4750	4809	4838
128	3250	3309	3338	190	4826	4885	4914
130	3302	3361	3390	192	4877	4936	4965
132	3350	3409	3438	195	4953	5012	5041
134	3404	3463	3492	197	5000	5059	5088
136	3454	3513	3542	200	5080	5139	5168
138	3505	3564	3593	202	5131	5190	5219
140	3550	3609	3638	204	5182	5241	5270
142	3607	3666	3695	209	5300	5359	5388
144	3658	3717	3746	210	5334	5393	5422
146	3700	3759	3788	216	5486	5545	5574
148	3750	3809	3838	217	5500	5559	5588
150	3810	3869	3898	220	5600	5659	5688
152	3850	3909	3938	225	5715	5774	5803
154	3912	3971	4000	228	5791	5850	5879
156	3962	4021	4050	236	6000	6059	6088
158	4000	4059	4088	240	6096	6155	6184
160	4064	4123	4152	248	6300	6359	6388
162	4115	4174	4203	250	6350	6409	6438
166	4216	4275	4304	255	6477	6536	6565
167	4250	4309	4338	264	6700	6759	6788
168	4267	4326	4355	270	6858	6917	6946
170	4318	4377	4406	280	7100	7159	7188
173	4390	4449	4478	285	7239	7298	7327
175	4445	4504	4533	300	7620	7679	7708
177	4500	4559	4588	315	8000	8059	8088
178	4521	4580	4609	324	8230	8289	8318
180	4572	4631	4660	330	8382	8441	8470

Klínové řemeny


Profil 22/CX



PROFIL 22/CX							
Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)	Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)
38	965	1024	1053	62	1575	1634	1663
43	1092	1151	1180	63	1600	1659	1688
44	1118	1177	1206	65	1651	1710	1739
49	1245	1304	1333	66	1676	1735	1764
54	1372	1431	1460	67	1702	1761	1790
55	1397	1456	1485	68	1727	1786	1815
57	1448	1507	1536	69	1753	1812	1841
59	1499	1558	1587	70	1778	1837	1866
60	1524	1583	1612	73	1854	1913	1942
61	1549	1608	1637	81	2057	2116	2145

Klínové řemeny


Profil 25



Označení řemenu	Vnitřní délka Li(mm)	Výpočtová Lw(mm)	Vnější délka La(mm)
1460	1400	1460	1500
1560	1500	1560	1600
1662	1600	1662	1702
1762	1700	1762	1802
1860	1800	1860	1900
1960	1900	1960	2000
2012	1950	2012	2052
2062	2000	2062	2102
2180	2120	2180	2220
2302	2240	2302	2342
2562	2500	2562	2602
2712	2650	2712	2752
2760	2700	2760	2800
2862	2800	2862	2902
3060	3000	3060	3100
3210	3150	3210	3250
3410	3350	3410	3450
3610	3550	3610	3650
3812	3750	3812	3852
4062	4000	4062	4102
4310	4250	4310	4350
4562	4500	4562	4602
4810	4750	4810	4850
5062	5000	5062	5102
5360	5300	5360	5400
5662	5600	5662	5702
6062	6000	6062	6102
6362	6300	6362	6402
6760	6700	6760	6800
7160	7100	7160	7200
7560	7500	7560	7600
8060	8000	8060	8100
8560	8500	8560	8600
9060	9000	9060	9100

Klínové řemeny


Profil **32/D**



Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)	Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)
98	2500	2576	2626	187	4750	4826	4876
120	3048	3124	3174	195	4953	5029	5079
126	3200	3276	3326	197	5000	5076	5126
128	3250	3326	3376	210	5330	5406	5456
132	3350	3426	3476	220	5600	5676	5726
135	3425	3501	3551	225	5715	5791	5841
136	3450	3526	3576	236	6000	6076	6126
140	3550	3626	3676	240	6096	6172	6222
144	3658	3734	3784	248	6300	6376	6426
148	3750	3826	3876	264	6700	6776	6826
154	3910	3986	4036	270	6858	6934	6984
158	4000	4076	4126	280	7100	7176	7226
162	4115	4191	4241	295	7500	7576	7626
163	4140	4216	4266	300	7620	7696	7746
167	4250	4326	4376	315	8000	8076	8126
169	4293	4369	4419	330	8382	8458	8508
173	4394	4470	4520	335	8500	8576	8626
175	4445	4521	4571	354	9000	9076	9126
177	4500	4576	4626	394	10000	10076	10126
180	4572	4648	4698	441	11200	11276	11326

Klínové řemeny

Profil 40/E



PROFIL 40/E			
Označení řemene	Vnitřní délka Li(mm)	Výpočtová Lw(mm)	Vnější délka La(mm)
E 118	3000	3080	3157
E 158	4000	4080	4157
E 197	5000	5080	5157
E 220	5600	5680	5757
E 236	6000	6080	6157
E 248	6300	6380	6457
E 280	7100	7180	7257
E 295	7500	7580	7657
E 315	8000	8080	8157
E 354	9000	9080	9157
E 394	10000	10080	10157
E 441	11200	11280	11357
E 492	12500	12580	12657

Maximální výrobní délka: 19 000 Li

minimální množství pro objednání: 7 ks pro Li 3 000 až 18 000 mm

21 ks pro Li nad 18 000 mm - formou poptávky