


Klínové řemeny

Profil SPZ




XPZ/SPZ

PROFIL SPZ							
Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)	Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)
487	449	487	500	1112	1074	1112	1125
512	474	512	525	1120	1082	1120	1133
562	524	562	575	1137	1099	1137	1150
587	549	587	600	1162	1124	1162	1175
612	574	612	625	1180	1142	1180	1193
630	592	630	643	1187	1149	1187	1200
637	599	637	650	1202	1164	1202	1215
662	624	662	675	1212	1174	1212	1225
670	632	670	683	1237	1199	1237	1250
687	649	687	700	1250	1212	1250	1263
710	672	710	723	1262	1224	1262	1275
722	684	722	735	1287	1249	1287	1300
737	699	737	750	1312	1274	1312	1325
750	712	750	763	1320	1282	1320	1333
762	724	762	775	1337	1299	1337	1350
772	734	772	785	1347	1309	1347	1360
787	749	787	800	1362	1324	1362	1375
800	762	800	813	1387	1349	1387	1400
812	774	812	825	1400	1362	1400	1413
825	787	825	838	1412	1374	1412	1425
837	799	837	850	1437	1399	1437	1450
850	812	850	863	1462	1424	1462	1475
862	824	862	875	1487	1449	1487	1500
875	837	875	888	1500	1462	1500	1513
887	849	887	900	1512	1474	1512	1525
900	862	900	913	1537	1499	1537	1550
912	874	912	925	1562	1524	1562	1575
925	887	925	938	1587	1549	1587	1600
937	899	937	950	1600	1562	1600	1613
950	912	950	963	1612	1574	1612	1625
962	924	962	975	1637	1599	1637	1650
987	949	987	1000	1650	1612	1650	1663
1000	962	1000	1013	1662	1624	1662	1675
1012	974	1012	1025	1687	1649	1687	1700
1024	986	1024	1037	1700	1662	1700	1713
1037	999	1037	1050	1737	1699	1737	1750
1047	1009	1047	1060	1762	1724	1762	1775
1060	1022	1060	1073	1787	1749	1787	1800
1077	1039	1077	1090	1800	1762	1800	1813
1087	1049	1087	1100	1812	1774	1812	1825

Klínové řemeny


Profil SPZ



PROFIL SPZ							
Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)	Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)
1837	1799	1837	1850	2187	2149	2187	2200
1850	1812	1850	1863	2240	2202	2240	2253
1862	1824	1862	1875	2287	2249	2287	2300
1887	1849	1887	1900	2360	2322	2360	2373
1900	1862	1900	1913	2500	2462	2500	2513
1937	1899	1937	1950	2650	2612	2650	2663
1987	1949	1987	2000	2800	2762	2800	2813
2000	1962	2000	2013	3000	2962	3000	3013
2037	1999	2037	2050	3150	3112	3150	3163
2120	2082	2120	2133	3350	3312	3350	3363
2137	2099	2137	2150	3550	3512	3550	3563

Klínové řemeny

Profil XPZ




XPZ/SPZ

PROFIL XPZ							
Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)	Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)
562	524	562	575	1037	999	1037	1050
587	549	587	600	1047	1009	1047	1060
612	574	612	625	1060	1022	1060	1073
630	592	630	643	1077	1039	1077	1090
637	599	637	650	1087	1049	1087	1100
662	624	662	675	1120	1082	1120	1133
670	632	670	683	1137	1099	1137	1150
687	649	687	700	1140	1102	1140	1153
710	672	710	723	1150	1112	1150	1163
722	684	722	735	1162	1124	1162	1175
730	692	730	743	1180	1142	1180	1193
737	699	737	750	1187	1149	1187	1200
750	712	750	763	1202	1164	1202	1215
762	724	762	775	1212	1174	1212	1225
772	734	772	785	1230	1192	1230	1243
780	742	780	793	1237	1199	1237	1250
787	749	787	800	1250	1212	1250	1263
800	762	800	813	1262	1224	1262	1275
812	774	812	825	1270	1232	1270	1283
820	782	820	833	1280	1242	1280	1293
825	787	825	838	1287	1249	1287	1300
837	799	837	850	1312	1274	1312	1325
850	812	850	863	1320	1282	1320	1333
862	824	862	875	1337	1299	1337	1350
875	837	875	888	1362	1324	1362	1375
880	842	880	893	1380	1342	1380	1393
887	849	887	900	1387	1349	1387	1400
900	862	900	913	1400	1362	1400	1413
912	874	912	925	1412	1374	1412	1425
925	887	925	938	1420	1382	1420	1433
930	892	930	943	1430	1392	1430	1443
937	899	937	950	1437	1399	1437	1450
950	912	950	963	1450	1412	1450	1463
962	924	962	975	1462	1424	1462	1475
980	942	980	993	1480	1442	1480	1493
987	949	987	1000	1487	1449	1487	1500
1000	962	1000	1013	1500	1462	1500	1513
1012	974	1012	1025	1512	1474	1512	1525
1024	986	1024	1037	1520	1482	1520	1533
1030	992	1030	1043	1537	1499	1537	1550

Klínové řemeny

Profil XPZ




XPZ/SPZ

PROFIL XPZ							
Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)	Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)
1550	1512	1550	1563	1900	1862	1900	1913
1562	1524	1562	1575	1950	1912	1950	1963
1587	1549	1587	1600	2000	1962	2000	2013
1600	1562	1600	1613	2037	1999	2037	2050
1612	1574	1612	1625	2120	2082	2120	2133
16347	16309	16347	16360	2240	2202	2240	2253
1650	1612	1650	1663	2287	2249	2287	2300
1662	1624	1662	1675	2360	2322	2360	2373
1687	1649	1687	1700	2410	2372	2410	2423
1700	1662	1700	1713	2500	2462	2500	2513
1750	1712	1750	1763	2650	2612	2650	2663
1800	1762	1800	1813	2690	2652	2690	2703
1850	1812	1850	1863	2800	2762	2800	2813

Klínové řemeny

Profil SPA




XPA/SPA

PROFIL SPA							
Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)	Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)
732	687	732	750	1482	1437	1482	1500
757	712	757	775	1500	1455	1500	1518
782	737	782	800	1507	1462	1507	1525
800	755	800	818	1532	1487	1532	1550
807	762	807	825	1557	1512	1557	1575
832	787	832	850	1582	1537	1582	1600
850	805	850	868	1600	1555	1600	1618
857	812	857	875	1607	1562	1607	1625
882	837	882	900	1632	1587	1632	1650
900	855	900	918	1657	1612	1657	1675
907	862	907	925	1682	1637	1682	1700
932	887	932	950	1700	1655	1700	1718
950	905	950	968	1707	1662	1707	1725
957	912	957	975	1732	1687	1732	1750
982	937	982	1000	1757	1712	1757	1775
1000	955	1000	1018	1782	1737	1782	1800
1007	962	1007	1025	1800	1755	1800	1818
1032	987	1032	1050	1807	1762	1807	1825
1060	1015	1060	1078	1832	1787	1832	1850
1062	1017	1062	1080	1857	1812	1857	1875
1107	1062	1107	1125	1882	1837	1882	1900
1120	1075	1120	1138	1900	1855	1900	1918
1032	1087	1132	1150	1907	1862	1907	1925
1157	1112	1157	1175	1932	1887	1932	1950
1180	1135	1180	1198	1957	1912	1957	1975
1207	1162	1207	1225	1982	1937	1982	2000
1232	1187	1232	1250	2000	1955	2000	2018
1250	1205	1250	1268	2032	1987	2032	2050
1257	1212	1257	1275	2057	2012	2057	2075
1272	1227	1272	1290	2082	2037	2082	2100
1282	1237	1282	1300	2120	2075	2120	2138
1307	1262	1307	1325	2132	2087	2132	2150
1320	1275	1320	1338	2182	2137	2182	2200
1332	1287	1332	1350	2207	2162	2207	2225
1357	1312	1357	1375	2232	2187	2232	2250
1382	1337	1382	1400	2240	2195	2240	2258
1400	1355	1400	1418	2282	2237	2282	2300
1407	1362	1407	1425	2300	2255	2300	2318
1432	1355	1400	1418	2307	2262	2307	2325
1457	1362	1407	1425	2332	2287	2332	2350

Klínové řemeny


Profil SPA



PROFIL SPA							
Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)	Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)
2360	2315	2360	2378	2882	2837	2882	2900
2382	2337	2382	2400	2932	2887	2932	2950
2432	2387	2432	2450	2982	2937	2982	3000
2482	2437	2482	2500	3000	2955	3000	3018
2500	2455	2500	2518	3032	2987	3032	3050
2532	2487	2532	2550	3082	3037	3082	3100
2582	2537	2582	2600	3150	3105	3150	3168
2607	2562	2607	2625	3182	3137	3182	3200
2632	2587	2632	2650	3282	3237	3282	3300
2650	2605	2650	2668	3350	3305	3350	3368
2682	2637	2682	2700	3382	3337	3382	3400
2732	2687	2732	2750	3550	3505	3550	3568
2782	2737	2782	2800	4000	3955	4000	4018
2800	2755	2800	2818	4250	4205	4250	4268
2832	2787	2832	2850	4500	4455	4500	4518
2847	2802	2847	2865	4250	4205	4250	4268

Klínové řemeny

Profil **XPA**




XPA/SPA

PROFIL XPA							
Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)	Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)
610	565	610	628	1307	1262	1307	1325
640	595	640	658	1320	1275	1320	1338
670	625	670	688	1332	1287	1332	1350
690	645	690	708	1340	1295	1340	1358
710	665	710	728	1357	1312	1357	1375
732	687	732	750	1360	1315	1360	1378
750	705	750	768	1382	1337	1382	1400
757	712	757	775	1400	1355	1400	1418
782	737	782	800	1420	1375	1420	1438
800	755	800	818	1432	1387	1432	1450
807	762	807	825	1450	1405	1450	1468
820	775	820	838	1457	1412	1457	1475
832	787	832	850	1482	1437	1482	1500
850	805	850	868	1500	1455	1500	1518
857	812	857	875	1507	1462	1507	1525
882	837	882	900	1532	1487	1532	1550
900	855	900	918	1550	1505	1550	1568
907	862	907	925	1557	1512	1557	1575
925	880	925	943	1582	1537	1582	1600
932	887	932	950	1600	1555	1600	1618
950	905	950	968	1632	1587	1632	1650
957	912	957	975	1650	1605	1650	1668
1032	985	1030	1048	1680	1635	1680	1698
1055	1010	1055	1073	1700	1655	1700	1718
1060	1015	1060	1078	1750	1705	1750	1768
1082	1037	1082	1100	1782	1737	1782	1800
1090	1045	1090	1108	1800	1755	1800	1818
1107	1062	1107	1125	1832	1787	1832	1850
1120	1075	1120	1138	1850	1805	1850	1868
1140	1095	1140	1158	1857	1812	1857	1875
1150	1105	1150	1168	1882	1837	1882	1900
1157	1112	1157	1175	1900	1855	1900	1918
1180	1135	1180	1198	1932	1887	1932	1950
1200	1155	1200	1218	1950	1905	1950	1968
1207	1162	1207	1225	1957	1912	1957	1975
1232	1187	1232	1250	1982	1937	1982	2000
1250	1205	1250	1268	2000	1955	2000	2018
1257	1212	1257	1275	2057	2012	2057	2075
1432	1237	1282	1300	2082	2037	2082	2100
1457	1255	1300	1318	2120	2075	2120	2138

Klínové řemeny

Profil XPA




XPA/SPA

PROFIL XPA							
Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)	Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)
2132	2087	2132	2150	2482	2437	2482	2500
2160	2115	2160	2178	2500	2455	2500	2518
2182	2137	2182	2200	2650	2605	2650	2668
2240	2195	2240	2258	2682	2637	2682	2700
2300	2255	2300	2318	2800	2755	2800	2818
2310	2265	2310	2328	2882	2837	2882	2900
2360	2315	2360	2378	2932	2887	2932	2950
2432	2387	2432	2450				

Klínové řemeny

Profil SPB




XPB/SPB

PROFIL SPB							
Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)	Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)
1250	1190	1250	1272	2900	2840	2900	2922
1320	1260	1320	1342	3000	2940	3000	3022
1400	1340	1400	1422	3150	3090	3150	3172
1450	1390	1450	1472	3250	3190	3250	3272
1500	1440	1500	1522	3350	3290	3350	3372
1600	1540	1600	1622	3450	3390	3450	3472
1700	1640	1700	1722	3550	3490	3550	3572
1750	1690	1750	1772	3650	3590	3650	3672
1800	1740	1800	1822	3750	3690	3750	3772
1850	1790	1850	1872	4000	3940	4000	4022
1900	1840	1900	1922	4250	4190	4250	4272
2000	1940	2000	2022	4500	4440	4500	4522
2060	2000	2060	2082	4750	4690	4750	4772
2120	2060	2120	2142	3000	4940	5000	5022
2180	2120	2180	2202	5300	5240	5300	5322
2240	2180	2240	2262	5600	5540	5600	5622
2360	2300	2360	2382	6000	5940	6000	6022
2391	2331	2391	2413	6300	6240	6300	6322
2500	2440	2500	2522	6700	6640	6700	6722
2650	2590	2650	2672	7100	7040	7100	7122
2800	2740	2800	2822	7500	7440	7500	7522
2850	2790	2850	2872	8000	7940	8000	8022

Klínové řemeny


Profil XPB



PROFIL XPB							
Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)	Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)
1175	1115	1175	1197	2060	2000	2060	2082
1250	1190	1250	1272	2100	2040	2100	2122
1270	1210	1270	1292	2120	2060	2120	2142
1285	1225	1285	1307	2150	2090	2150	2172
1320	1260	1320	1342	2240	2180	2240	2262
1360	1300	1360	1382	2280	2220	2280	2302
1400	1340	1400	1422	2285	2225	2285	2307
1450	1390	1450	1472	2300	2240	2300	2322
1481	1421	1481	1503	2310	2250	2310	2332
1500	1440	1500	1522	2325	2265	2325	2347
1550	1490	1550	1572	2360	2300	2360	2382
1600	1540	1600	1622	2410	2350	2410	2432
1650	1590	1650	1672	2500	2440	2500	2522
1700	1640	1700	1722	2530	2470	2530	2552
1750	1690	1750	1772	2580	2520	2580	2602
1800	1740	1800	1822	2650	2590	2650	2672
1850	1790	1850	1872	2680	2620	2680	2702
1900	1840	1900	1922	2700	2640	2700	2722
1950	1890	1950	1972	2730	2670	2730	2752
1970	1910	1970	1992	2800	2740	2800	2822
2000	1940	2000	2022	2840	2780	2840	2862
2020	1960	2020	2042	2900	2840	2900	2922

Klínové řemeny


Profil SPC



PROFIL SPC							
řemenu	délka Li(mm)	délka Lw(mm)	délka La(mm)	řemenu	délka Li(mm)	délka Lw(mm)	délka La(mm)
2000	1917	2000	2030	5000	4917	5000	5030
2120	2037	2120	2150	5300	5217	5300	5330
2240	2157	2240	2270	5600	5517	5600	5630
2360	2277	2360	2390	6000	5917	6000	6030
2500	2417	2500	2530	6300	6217	6300	6330
2650	2567	2650	2680	6700	6617	6700	6730
2800	2717	2800	2830	7100	7017	7100	7130
3000	2917	3000	3030	7500	7417	7500	7530
3150	3067	3150	3180	8000	7917	8000	8030
3350	3267	3350	3380	8500	8417	8500	8530
3550	3467	3550	3580	9000	8917	9000	9030
3750	3667	3750	3780	9500	9417	9500	9530
4000	3917	4000	4030	10000	9917	10000	10030
4250	4167	4250	4280	10600	10517	10600	10630
4500	4417	4500	4530	11200	11117	11200	11230
4750	4667	4750	4780	12500	12417	12500	12530

Klínové řemeny

Profil XPC



PROFIL XPC							
Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)	Označení řemenu	Vnitřní délka Li(mm)	Výpočtová délka Lw(mm)	Vnější délka La(mm)
2000	1940	2000	2022	3350	3290	3350	3372
2120	2060	2120	2142	3550	3490	3550	3572
2240	2180	2240	2262	3750	3690	3750	3772
2360	2300	2360	2382	4000	3940	4000	4022
2500	2440	2500	2522	4250	4190	4250	4272
2650	2590	2650	2672	4500	4440	4500	4522
2800	2740	2800	2822	4750	4690	4750	4772
2900	2840	2900	2922	5000	4940	5000	5022
3000	2940	3000	3022	5300	5240	5300	5322
3150	3090	3150	3172				